

Content available at: <https://www.ipinnovative.com/open-access-journals>

Indian Journal of Pharmacy and Pharmacology

Journal homepage: <https://www.ijpp.org.in/>

Review Article

Herbal medicated gummies: A flange approach in management of depression and anxiety

Payaam Vohra^{1,*}, Sunanda Patil¹, Walia Khan¹¹Dept. of Pharmacy, H.K. College of Pharmacy, Mumbai, Maharashtra, India

ARTICLE INFO

Article history:

Received 19-02-2023

Accepted 01-03-2023

Available online 09-03-2023

Keywords:

Herbal gummies

Antidepressant

Case compliance

Pediatrics

Geriatrics

ABSTRACT

According to WHO Depression is a common internal complaint. Encyclopedically, it's estimated that 264 million of grown-ups suffer from depression. Depression is a leading cause of disability worldwide and is a major contributor to the overall global burden of complaint. This exploration totally focuses upon formulating a drug for people suffering from depression in a fascinating and fluently respectable way. The condition of depression has worsen post epidemic with increase in number of cases associated with youth. This paper briefly discusses preface of the antidepressant saucers in a sticky form. Flavonoid and associated phytochemicals exerts an antidepressant effect via modulation of central noradrenaline(NA), dopamine(DA), serotonin(5-HT), and γ - amino butyric acid(GABA) neurotransmission. Turmeric specifically, curcumin could be a mainstream depression treatment. A combination of Turmeric, Tulsi and chamomile can prove to be a boon for operation of Depression with minimum side goods. This medicine delivery system provides fresh patient benefits and compliance, offering several advantages over tablets or liquid phrasings in that, the remedial system isn't to be swallowed and this increases patient compliance, especially for elders and pediatrics with swallowing diseases; also, the product can be taken anywhere and at any time as it doesn't bear liquids to prop swallowing. This expression seems to be a promising combination of the saucers for productive operation of depression and anxiety.

This is an Open Access (OA) journal, and articles are distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License](https://creativecommons.org/licenses/by-nc-sa/4.0/), which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: reprint@ipinnovative.com

1. Introduction

Gummies explore the implicit benefits of a rapid-fire and effective lozenge form Gummies can be used for taste masking and also pediatrics, senior as well as palliative can consume gummies. Over 700 000 people die due to self-murder every time. self-murder is the fourth leading cause of death in 15-29-year-olds.¹ Medicated chewing epoxies are solid, single cure medications that contain one or further active constituents that are released by biting.² This medicine delivery system provides fresh patient benefits and compliance, offering several advantages over tablets or liquid phrasings in that, the remedial system isn't be

swallowed and this increases patient compliance, especially for elders and pediatrics with swallowing diseases; also, the product can be taken anywhere and at any time as it doesn't bear liquids to prop swallowing.³ utmost of the medicine released from the goo through mastication is fleetly absorbed via the buccal depression due to its large vascularization; thus, a faster immersion results in a shorter duration of action. Alternately, medicine released from treated chewing goo which isn't absorbed through the oral depression membranes will be swallowed and reach the stomach in a veritably fine dispersed form, therefore being fluently available for gastrointestinal immersion with a consequent fast onset of action.⁴ Confectionery products are extensively consumed by both children and grown-ups. In Portugal, 86.8 of children between 6 and 8 times

* Corresponding author.

E-mail address: payaamvohra@gmail.com (P. Vohra).

consume these products at least three times a week.⁵ Jellies and gummies are particularly popular in the age group under 17 years due to their organic and leathery nature.⁶ These products have a gel- suchlike structure, containing fruits (a minimum of 45 g/ 100 g) and sugars (in the form of sucrose saccharinity and/ or glucose, in attention of about 55 g/ 100 g), combined with gelatinizing agents, acids, aromas, and food colorings.⁷ Also, studies have shown that bio vacuity is lesser with gummies compared with tablets. Average peak blood attention (C maximum) values is significantly advanced with gummies performing into faster immersion of active ingredients of our medicine in systemic rotation.⁸ Depression can be associated with high situations of stress, anxiety, and in the most serious scripts self-murder. This can lead to social insulation and other problems. It's a real medical condition that can affect a person's life in every manner if it's not treated duly.⁹ In order to manage this critical condition we've formulated this gummies and incorporated active ingredients of tulsi, turmeric and chamomile in it which shows effective antidepressant parcels.¹⁰ Tulsi has also been shown to fight cerebral stress through positive goods on memory and cognitive function and through its anxiolytic and anti-depressant parcels. In colorful beast trials it's been revealed that tulsi has anti-anxiety and anti-depressant parcels with goods similar to diazepam and antidepressant medicines. Beast studies further reveal that tulsi enhances memory and cognitive function and protects against aging-convinced memory poverties.¹¹ Turmeric's anti-inflammatory parcels might beget it to have an antidepressant effect. The active component in turmeric called curcumin appears to reduce inflammation, a fleshly process allowed to worsen depression. As a result, the anti-inflammatory parcels of turmeric may have a positive impact on mood.¹² Chamomile has been used traditionally to treat anxiety symptoms. Chamomile may produce clinically meaningful antidepressant goods in addition to its anxiolytic exertion in subjects with GAD and co-morbid depression.¹³ Although antidepressant medicine curatives are available to treat comorbid anxiety and depression, numerous cases don't take them because of fiscal, artistic, or particular reasons; rather, they may seek indispensable remedies. These gummies can act as that indispensable remedy which is hassle free and would be available at one's ease. The combination of multiple interventions frequently helps to target depression more holistically. This includes change in life, healthy food druthers, psychotherapy and using this supplemented herbal gummies for an overall effective operation of the condition.¹⁴ Methodology Gummies were manufactured by putrefying a set mass in a silicone earth and cooling it down to room temperature. The bases of the gummies were prepared by the following way. The pork gelatin was added into the distilled water and left to swell at room temperature (22 ± 2 °C) for 30 min. The

quantities of base accoutrements were added. The water/ gelatin admixture was hotted in a water bath at 50 °C until the homogeneous thick liquid formed. Further on, the sweetener was added to the composition, followed by other complements. The set mass was well- mixed, filtered through a double cheesecloth, and poured into the silicone earth, which was pulverized with 1 g of carnauba wax before the trial. The mold was left at room temperature (22 ± 2 °C) to dry for 48 h.¹⁵

Table 1: Formulation table

Ingredients	Concentration
Gelatin	4.5%
Water	23%
Tulsi	150mg
Turmeric	250 mg
Chamomile	100mg
Stevia	20%

Companies will gain a competitive advantage in the confectionary request will be those suitable to laboriously manipulate and control sensitive parcels to meet exacting client demands. This paper is a exploration offer on confectionary gummies for depression their factors, and factors that may affect their microstructure, texture, and rheology.¹⁶ Nutraceuticals are grounded on foods or factors of foods that have a major part in altering and sustaining optimal physiological function in the mortal body. The distinction between food and drug is being bridged by nutraceuticals. They retain the eventuality for enhancing nutrition, safety, and remedial issues. Nutraceuticals have attracted a lot of attention in recent times.¹⁷ Sugars and pectin can be replaced with non-carcinogenic natural sweeteners like stevia.¹⁸ adding of gelatin cure, increases the hardness, cohesion, chewiness and gumminess values of delicacies.¹⁹ system of medication of gummies.

2. Results and Characterization

1) pH of the Gummy 1. Blending the gummies into an steady paste. 2. Calibrating the pH meter and conforming the sample temperature to room temperature before measuring the pH. 3. Flushing the pH electrode with distilled water. 4. Immersing the electrode to the sticky paste and measuring the pH.²⁰ 2) Texture of Gummy (i) Hardness- squeezing of sticky between thumb and forefinger relating pivotal textural parcels of sticky sweets through sensitive evaluation. Using hardness parameters to establish upper and lower forbearance for the product. (ii) Firmness- The most common way to measure firmness is resistance to compression. Penetrometer is used to measure firmness.²¹ 3. wimpiness- The wimpiness is contrary to stiffness that's measured by bending length. wimpiness may be considered as the negative of firmness or hardness measured by thickness tests.²² 4. Springiness-

Springiness is measuring, by the distance of the detected height during the alternate compression divided by the original compression distance. 5. Humidity content 6. Microbiological analysis²³ Conclusion The end of our study was to produce natural constituents- grounded sticky for a preservative free antidepressant drug. The major focus of this paper is to open doors of Antidepressants medicine in a wicking lozenge form in order to enhance the rate of patient compliance therefore formulating a compact seductive sticky by integrating colorful sauces could prove to be useful volition for depression specifics. Still, farther analysis is needed to understand the gummies' stability over time so as to establish an applicable and safe shelf life, as well as to concoct applicable product and packaging results to make the product available at a larger scale. In comparison to other lozenge forms, sticky nutrient supplements or Nutraceutical Gummies are more desirable among a class of population, owing to their aesthetic acceptance and delivery convenience.

3. Source of Funding

None.

4. Conflict of Interest


None.


References

1. Earthquakes in Türkiye and Syria. Available from: www.who.int.
2. Chewing gum, medicated: Directorate for the quality of medicines of the council of Europe. . vol. 1. European Pharmacopoeia Strasbourg Cedex; 2010. p. 709.
3. Abelson DC, Barton J, Mandel ID. The effect of chewing sorbitol-sweetened gum on salivary flow and cemental plaque pH in subjects with low salivary flow. *J Clin Dent*. 1990;2(1):3–5.
4. Rassing MR. Chewing gum as drug delivery system. *Adv Drug Deliv Rev*. 1994;13(1-2):89–121.
5. Organization WH. WHO European Childhood Obesity Surveillance Initiative: overweight and obesity among 6-9-year-old children: report of the third round of data collection 2012-2013. World Health Organization. Regional Office for Europe; 2018. Available from: <https://apps.who.int/iris/handle/10665/346092>.
6. Moloughney S. Functional confectionery: Finding the sweet spot. *Nutraceuticals World*. 2011;p. 2011–3.
7. Mutlu C, Tontul SA, Erbaş M. Production of a minimally processed jelly candy for children using honey instead of sugar. *LWT*. 2018;93:499–505. doi:10.1016/j.lwt.2018.03.064.
8. Wagner CL, Shary JR, Nietert PJ, Wahlquist AE, Ebeling MD, Hollis BW. Bioequivalence studies of vitamin D gummies and tablets in healthy adults: results of a cross-over study. *Nutrients*. 2019;11(5):1023. doi:10.3390/nu11051023.
9. Crandall A, Powell EA, Bradford GC, Magnusson BM, Hanson CL, Barnes MD. Maslow's hierarchy of needs as a framework for understanding adolescent depressive symptoms over time. *J Child and Fam Stud*. 2020;29(4):273–81.
10. Yeung KS, Hernandez M, Mao JJ, Haviland I, Gubili J. Herbal medicine for depression and anxiety: A systematic review with assessment of potential psycho-oncologic relevance. *Phytother Res*. 2018;32(5):865–91.
11. Cohen MM. Tulsi - Ocimum sanctum: A herb for all reasons. *J Ayurveda Integr Med*. 2014;5(4):251–9.
12. Sahoo JP, Behera L, Praveena J, Sawant S, Mishra A, Sharma SS, et al. The golden spice turmeric (*Curcuma longa*) and its feasible benefits in prospering human health-a review. *Am J Plant Sci*. 2009;12(3):455–75.
13. Amsterdam JD, Li QS, Xie SX, Mao JJ. Putative Antidepressant Effect of Chamomile (*Matricaria chamomilla* L.) Oral Extract in Subjects with Comorbid Generalized Anxiety Disorder and Depression. *J Altern Complement Med*. 2020;26(9):815–36.
14. Čižauskaitė U, e GJ, Žitkevičius V, e GK. Natural ingredients-based gummy bear composition designed according to texture analysis and sensory evaluation in vivo. *Molecules*. 2019;24(7):1442. doi:10.3390/molecules24071442.
15. Thakur RR, Rathore DS, Narwal S. Orally disintegrating preparations: recent advancement in formulation and technology. *J Drug Deliv Ther*. 2012;2(3):87–96.
16. Mueller R, Innerebner F, Innogel AG. Starch-based rubber-elastic confectionery. United States patent application US 10/539,150; 2006. Available from: <https://patents.google.com/patent/EP1571914B1/en>.
17. Délérís I, Saint-Eve A, Dakowski F, Sémon E, Quéré L, Guillemin JL. The dynamics of aroma release during consumption of candies of different structures, and relationship with temporal perception. *Food Chem*. 2011;127(4):1615–39.
18. Demars LL, Ziegler GR. Texture and structure of gelatin/pectin-based gummy confections. *Food Hydrocolloids*. 2001;15(4-6):643–53.
19. Ervin G, Ervin E. Health characteristic chewy or gummy candy confection. United States patent application US 13/163,197; 2011. Available from: <https://patents.google.com/patent/US20110313055A1/en>.
20. Elena VF, Rodríguez MC, Orfilia RM. Quality assessment of cape gooseberry candy with added calcium without sucrose. *Biotechnología Sector Agropecuario Agroindustrial*. 2013;11(1):47–56.
21. Rossy PA, Davidson RH, Miller KP, Warder IT, Schulman M, Pittet AO. Use of spray-dried and freeze-dried sugarcane leaf essence in improving taste of flavored calcium supplements, foodstuffs, beverages, chewing gum, oral care compositions and calcium supplement; 2001. Available from: <https://patents.google.com/patent/US6251193B1/en>.
22. Nunn T, Williams J. Formulation of medicines for children. *Brit J Clin Pharmacol*. 2005;59(6):674–80.
23. Bartkiene E, Ruzauskas M, Lele V, Zavistanaviciute P, Bernatoniene J, Jakstas V, et al. Development of antimicrobial gummy candies with addition of bovine colostrum, essential oils and probiotics. *Int J Food Sci Technol*. 2018;53(5):1227–62.

Author biography

Payaam Vohra, Student  <https://orcid.org/0000-0001-8086-6004>

Sunanda Patil, Teacher  <https://orcid.org/0009-0005-2754-2568>

Walia Khan, Student  <https://orcid.org/0000-0002-6059-7596>

Cite this article: Vohra P, Patil S, Khan W. Herbal medicated gummies: A flange approach in management of depression and anxiety. *Indian J Pharm Pharmacol* 2023;10(1):17-19.